

Selection Guide Mobile Cameras

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

www.delta-components.de

www.automotive-computing.com

Bitte laden Sie sich bei Bedarf [hier](#)
eine aktualisierte Fassung dieses
Dokuments herunter!

1 von 1 Artikel aus dem Bereich
Mobile Cameras
wurden für das PDF ausgewählt.



Mobile IP-Camera Type 1/2/3/4

LCD Size	
Image Sensor	1/2.8" 2MP CMOS Progressive sensor
Minimal Lux	-
Lens	Fixed lens 2,8 mm F1,6 / 2,4 mm F2,1 / 6,0 mm F2,0 / 8,0 mm
IrisType	-
Day + Night	x
IR Distance	10 m
IR Control	-
ICR	x
WDR	x
SD	-
Removeable Storage	Micro SD Slot
Internal Storage	
Graphic Interface	-
Interface COM	
Interface USB	-
Interface LAN	RJ45 or M12 connector 10/100/1000 BASE-T, IEEE 802.3af PoE
Interface IO	-
Resolution	1.920 x 1.080 to 320 x 240 @ 30fps
Processing	VBR/CBR
Codec	H.265 / H.264 / M-JPEG
Performance	Smart GOP / Smart ROI / Smart FPS
Audio	-
Input Voltage Nominal	12VDC
Input Current	6W max.
Battery	-
Operating Temperature	-20°C to 50°C
Storage Temperature	-20°C to 70°C
Relative Humidity	90%, non-condensing
Protection	IK 10, IP66
Certification	CE, EN50155 (Railway), FCC
Dimensions	Ø 110,5 mm / Height x 64 mm
Weight	400 g
Typ. Application	Industrial, Automotive, Mobile, Railway, Outdoor

Bestellinformation	Artikel-Nr. VKIX2042 Mobile IP-Camera Type 1, 2MP, smart-IR, true WDR, RJ45, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L2,8mm Artikel-Nr. VKIX2042-1 Mobile IP-Camera Type 1, 2MP, smart-IR, true WDR, M12, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L2,8mm Artikel-Nr. VKIX2043 Mobile IP-Camera Type 2, 2MP, smart-IR, true WDR, RJ45, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L2,4mm Artikel-Nr. VKIX2043-1 Mobile IP-Camera Type 2, 2MP, smart-IR, true WDR, M12, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L2,4mm Artikel-Nr. VKIX2044 Mobile IP-Camera Type 3, 2MP, smart-IR, true WDR, RJ45, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L6mm Artikel-Nr. VKIX2044-1 Mobile IP-Camera Type 3, 2MP, smart-IR, true WDR, M12, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L6mm Artikel-Nr. VKIX2045 Mobile IP-Camera Type 4, 2MP, smart-IR, true WDR, RJ45, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L8mm Artikel-Nr. VKIX2045-1 Mobile IP-Camera Type 4, 2MP, smart-IR, true WDR, M12, 1.080P@30fps, H.265/264/M-JPEG, MIC, IK10, IP66, L8mm
--------------------	---

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

<https://www.delta-components.de>

<https://www.automotive-computing.com>