

# Selection Guide

## DeltaCar-PC Stuttgart

### DELTA COMPONENTS GmbH

Auweg 27 \* D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

[info@delta-components.de](mailto:info@delta-components.de)

[www.delta-components.de](http://www.delta-components.de)

[www.automotive-computing.com](http://www.automotive-computing.com)

Bitte laden Sie sich bei Bedarf [hier](#) eine aktualisierte Fassung dieses Dokuments herunter!

2 Artikel aus dem Bereich  
**DeltaCar-PC Stuttgart**  
wurden für das PDF ausgewählt.

## Selection Guide DeltaCar-PC Stuttgart



**DeltaCar-PC Stuttgart V1.3**



**DeltaCar-PC Stuttgart**

|                                |                                                                                                       |                                                                                            |
|--------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Cooling System                 | Fan                                                                                                   | Fan                                                                                        |
| Mounting System                | DIN Slot                                                                                              | DIN Slot                                                                                   |
| CPU                            | Intel Atom N270 1.6GHz                                                                                | Intel Pentium M 1.4GHz                                                                     |
| CPU Socket                     | -                                                                                                     | -                                                                                          |
| Chipset                        | Intel 945GSE/ICH7M                                                                                    | VIA VT8606/82C686B                                                                         |
| BIOS                           | -                                                                                                     | -                                                                                          |
| Watchdog Timer                 | -                                                                                                     | -                                                                                          |
| Basic Equipment                | -                                                                                                     | 256MB                                                                                      |
| Maximum Equipment              | 2GB                                                                                                   | 1GB                                                                                        |
| SDRAM                          | -                                                                                                     | x                                                                                          |
| DIMM / MemorySocket            | DDR2                                                                                                  | -                                                                                          |
| CD-ROM                         | -                                                                                                     | Optional                                                                                   |
| CD-RW                          | -                                                                                                     | Optional                                                                                   |
| DVD-ROM                        | -                                                                                                     | Optional                                                                                   |
| FDD                            | -                                                                                                     | -                                                                                          |
| Compact Flash                  | optional                                                                                              | 1x                                                                                         |
| SD                             | -                                                                                                     | -                                                                                          |
| HDD                            | -                                                                                                     | -                                                                                          |
| HD SATA                        | 1x 2.5" SATA HDD                                                                                      | 1x 2.5" SATA HDD                                                                           |
| HD PATA                        | Optional                                                                                              | -                                                                                          |
| PCMCIA                         | optional                                                                                              | 2x                                                                                         |
| Graphic Interface              | 1x VGA/CRT, 1x LCD-TTL, 1x LCD-LVDS                                                                   | 1x VGA/CRT, 1x LCD-TTL, 1x LCD-LVDS                                                        |
| Interface COM                  | 2x RS232                                                                                              | 2x RS232D                                                                                  |
| CAN                            | -                                                                                                     | -                                                                                          |
| Interface USB                  | 6x USB 2.0                                                                                            | 1x USB 1.1, 3x USB 2.0                                                                     |
| Interface IEEE1394             | -                                                                                                     | -                                                                                          |
| Interface LAN                  | 1x 10/100 BASE-T                                                                                      | 1x 10/100 BASE-T, Optional WLAN                                                            |
| Interface IO                   | -                                                                                                     | -                                                                                          |
| Mini PCIe                      | -                                                                                                     | -                                                                                          |
| Bluetooth                      | -                                                                                                     | Optional                                                                                   |
| LPT                            | optional                                                                                              | 1x                                                                                         |
| PS/2                           | 1x                                                                                                    | 2x                                                                                         |
| Audio                          | Line-In, Line-Out, Mic-In, SPDIF                                                                      | Line-In, Line-Out, Mic-In                                                                  |
| Headphone                      | -                                                                                                     | -                                                                                          |
| SIM Card                       | 1x                                                                                                    | 1x                                                                                         |
| GPS                            | Optional                                                                                              | Optional                                                                                   |
| Mobile Communication 2G        | -                                                                                                     | Optional GSM+GPRS                                                                          |
| Mobile Communication 3G        | Optional UMTS                                                                                         | Optional UMTS                                                                              |
| PCIe                           | -                                                                                                     | -                                                                                          |
| PCI/104                        | -                                                                                                     | -                                                                                          |
| Operating System               | -                                                                                                     | -                                                                                          |
| Input Voltage Min/Max          | 6 to 36VDC                                                                                            | 8 to 16VDC                                                                                 |
| Output Voltage Min/Max         | -                                                                                                     | -                                                                                          |
| Input Power                    | -                                                                                                     | -                                                                                          |
| Redundant Power Supply         | -                                                                                                     | Optional                                                                                   |
| Power Management               | -                                                                                                     | -                                                                                          |
| Operating Temperature          | 0°C to 60°C                                                                                           | 0°C to 60°C                                                                                |
| Extended Operating Temperature | -20°C to 60°C                                                                                         | -20°C to 60°C                                                                              |
| Storage Temperature            | -40°C to 80°C                                                                                         | -40°C to 80°C                                                                              |
| Relative Humidity              | 10% to 90%                                                                                            | 10% to 95%, non-condensing                                                                 |
| Protection                     | IP20                                                                                                  | IP20                                                                                       |
| Certification                  | e1 (Vehicle)                                                                                          | CE, e1 (Vehicle)                                                                           |
| Dimensions                     | 180 x 52 x 193 mm                                                                                     | 196 x 180 x 52 mm                                                                          |
| Weight                         | 0.976kg                                                                                               | -                                                                                          |
| Material                       | Aluminum                                                                                              | Aluminum                                                                                   |
| Typ. Application               | Automotive                                                                                            | Automotive                                                                                 |
|                                |                                                                                                       |                                                                                            |
| Bestellinformation             | Artikel-Nr. PKKC1017<br>DeltaCar-PC Stuttgart V1.3, PC-Einheit zum<br>Verbau in den Radio DIN-Schacht | Artikel-Nr. PKKC1015<br>DeltaCar-PC Stuttgart, Fahrzeugtauglicher PC mit<br>PIC-Controller |

## DELTA COMPONENTS GmbH

Auweg 27 \* D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

[info@delta-components.de](mailto:info@delta-components.de)

<https://www.delta-components.de>

<https://www.automotive-computing.com>