

Selection Guide

Stand-Alone-/POS-Monitore

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

www.delta-components.de

www.automotive-computing.com

Bitte laden Sie sich bei Bedarf [hier](#)
eine aktualisierte Fassung dieses
Dokuments herunter!

2 Artikel aus dem Bereich
Stand-Alone-/POS-Monitore
wurden für das PDF ausgewählt.

Selection Guide Stand-Alone-/POS-Monitore



15,0" Multi-Touch Screen Typ 1



15,0" POS Touch Monitor 1050

LCD Size	15"	15"
Active Area	228 x 304 mm (H x W)	-
Pixel Pitch	0,297 x 0,297 mm (H x V)	-
Aspect Ratio	4:3	-
Display Backlight	LED Backlight	-
Display Resolution	XGA (1.024x768)	XGA (1.024x768)
Display Colors	16,2 Mio.	-
Brightness	325 cd/m²	-
Contrast Ratio	700:1	-
Response Time	8 ms	-
Viewing Angle	170° / 160°	-
ScanFrequency	-	-
TV-Lines	-	-
Anti Reflection Glass	-	-
Strengthened Glass	-	-
Gapless Optical Bonding	-	-
MTBF	-	-
TouchScreen	10-point Projected Capacitive Multitouch	x
Picture-In-Picture	-	-
Picture Out Of Picture	-	-
Keypad	x	-
OSDMenu	Language	1x AUTO Button for audio adjust setting Optional: 4 buttons (menu, select,▲/+, ▼/-)
Cooling System	Fan	Fan
Mounting System	Plug & Play VESA DDC2B, 75 x 75 mm VESA, Stand	Optional Wall Mount, Optional VESA, Stand
Graphic Interface	VGA/CRT	VGA/CRT, DVI, DisplayPort
Interface COM	-	2x Optional
Interface USB	1x (for TouchScreen) USB	2x USB 2.0
Video Input	-	-
Audio	-	-
Speakers	2 x 2W (Stereo)	-
Fingerprint Scanner	-	Optional
Magnet Card Reader	-	Optional
Input Voltage Nominal	12 VDC	12VDC
Input Voltage Min/Max	-	-
Output Voltage Nominal	-	-
Input Current	20 W	-
Power Management	-	-
Battery	-	-
Operating Temperature	-	0°C to 40°C
Storage Temperature	-	-20°C to 60°C
Relative Humidity	-	20% to 80%, non-condensing
Protection	IP45	IP65
Certification	CE	CE, FCC
Dimensions	340,5 x 308 x 198 mm (W x H x D)	368/410 x 331 x 210mm(W x H x D)
Weight	3,5 kg	8.5kg
Material	-	-
Typ. Application	Industrial	Industrial

Artikel-Nr. DMXX4250
15,0" Multi-Touch Screen Typ 1, Black, 1.024 x
768, 325 cd/m², VGA, 12V, USB Touch, Sound

Artikel-Nr. DMXX3580
15,0" POS Touch Monitor 1050 w/Touch Screen,
XGA, 2xUSB 2.0, 1x VGA, 1x DVI-I, 1x DP, IP65

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

<https://www.delta-components.de>

<https://www.automotive-computing.com>