

Selection Guide

Digital Signage Monitore

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

www.delta-components.de

www.automotive-computing.com

PDF Online Selection Guide
Stand vom 05.05.2024 - 04:44:17

Bitte laden Sie sich bei Bedarf [hier](#)
eine aktualisierte Fassung dieses
Dokuments herunter!

1 Artikel aus dem Bereich
Digital Signage Monitore
wurden für das PDF ausgewählt.



18,5" LCD-Monitor-Kit Typ 2

LCD Size	18,5"
Active Area	409,8 x 230,4 mm (H x V)
Pixel Pitch	-
Aspect Ratio	16:9
Display Backlight	LED Backlight
Display Resolution	WXGA (1.366x768)
Display Colors	16,7M
Brightness	1.000 cd/m²
Contrast Ratio	1.250:1
Response Time	5ms (typical)
Viewing Angle	170° / 160°(H / V)
ScanFrequency	-
Anti Reflection Glass	-
Strengthened Glass	-
Sunlight Readable	x
Gapless Optical Bonding	-
MTBF	-
TouchScreen	-
Keypad	-
OSDMenu	Brightness, Contrast, H/V Position, Color, Phase, Clock, etc.
Cooling System	-
Mounting System	-
Graphic Interface	LCD-LVDS
Interface COM	-
Interface USB	-
Video Input	-
Video Output	-
Audio	-
Speakers	-
Operating System	-
Operating System Support	-
Input Voltage Nominal	-
Input Voltage Min/Max	-
Input Current	-
Operating Temperature	-
Storage Temperature	-
Relative Humidity	-
Protection	-
Certification	-
Dimensions	-
Weight	-
Material	-
Typ. Application	Automotive

Bestellinformation	Artikel-Nr. DMKC1004 18,5" LCD-Monitor-Kit Typ 2, LCD-TFT, GMSL-In / GMSL-Out, Kabelsatz, Ansteuerung
--------------------	---

DELTA COMPONENTS GmbH

Auweg 27 * D-79761 Waldshut-Tiengen

Tel.: +49 (0) 7751 / 8399-0

Fax: +49 (0) 7751 / 8399-99

info@delta-components.de

<https://www.delta-components.de>

<https://www.automotive-computing.com>